

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 11/04/2024

Revision 5

Reviewed on 10/11/2024

1 Identification · Product identifier · Trade name: UV-6502CL · Product number: UV-6502CL · Details of the supplier of the safety data sheet · Manufacturer/Supplier: EPOXYSET INC. 718 Park East Drive Woonsocket, RI 02895, USA Phone: (401) 726-4500 www.epoxyset.com · Information department: Product safety department: msds@epoxyset.com · Emergency telephone number: Chemtel (US transportation) 1-800-255-3924 International (call collect) +01-813-248-0585 2 Hazard(s) identification · Classification of the substance or mixture



Eye Irritation 2AH319 Causes serious eye irritation.Sensitization - Skin 1H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate
- · Hazard statements
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

· Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

acc. to OSHA HCS					
Printing date 11/04/2	2024	Revision 5	Reviewed on 10/11/2024		
Trade name: UV-6.	502CL				
			(Contd. of page 1)		
P333+P313		rash occurs: Get medical advice/attention.			
P321	Specific treatment (
P337+P313		sists: Get medical advice/attention.			
P363		l clothing before reuse.	1 / . 1 / · 1 1 . ·		
P501		s/container in accordance with local/regiona	al/national/international regulations.		
 Classification s NFPA ratings (
F	ealth = 2 ire = 1 eactivity = 0 (scale 0 - 4)				
HEALTH 2 FIRE 1	Health = 2 Fire = 1 Reactivity = 0				
• Other hazards • Results of PBT • PBT: Not appli • vPvB: Not appl		t			

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous components: 	
229(970701) = 15	4 1 011 4 2 1

2386-87-0	7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	>60%
3047-32-3	3-ethyl-3-oxetanemethanol	5-10%
71449-78-0	4-Thiophenyl phenyl diphenyl sulfonium hexafluoroantimonate	≤2.5%

4 First-aid measures

· Description of first aid measures

· After inhalation:

*

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- \cdot Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Revision 5

Reviewed on 10/11/2024

(Contd. of page 2)

9.3 mg/m³

100 mg/m³

230 mg/m³

Trade name: UV-6502CL

Printing date 11/04/2024

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1:

Substituted Silane - Proprietary

· PAC-2:

Substituted Silane - Proprietary

· PAC-3:

Substituted Silane - Proprietary

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store at temperatures not exceeding 10°C. Keep cool.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Printing date 11/04/2024

Revision 5

Reviewed on 10/11/2024

Trade name: UV-6502CL

(Contd. of page 3)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and o	chemical properties
· General Information	
· Appearance: Form:	Fluid
Form: Color:	Clear
· Odor:	Clear
	Not determined.
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	>93 °C (>199.4 °F)
· Flammability:	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	>1 g/cm ³ (>8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
	(Contd. on page

Revision 5

Reviewed on 10/11/2024

Printing date 11/04/2024

Trade name: UV-6502CL

	(Contd. of page
ol/water): Not determined.	
Not determined.	
Not determined.	
0.00~%	
0.0 g/l / 0.00 lb/gal	
No further relevant information available.	
	Not determined. 0.00 % 0.0 g/l / 0.00 lb/gal

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 6)

Revision 5

Reviewed on 10/11/2024

Trade name: UV-6502CL

· Additional ecological information:

· Results of PBT and vPvB assessment

Water hazard class 2 (Self-assessment): hazardous for water

· Other adverse effects No further relevant information available.

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

• Recommendation: Disposal must be made	e according to official regulations.
14 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
[·] UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.
· UN "Model Regulation":	not regulated

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 7)

(Contd. of page 5)

Printing date 11/04/2024

· General notes:

• **PBT:** Not applicable. • **vPvB:** Not applicable.

13 Disposal considerations

• Waste treatment methods • Recommendation:

· Uncleaned packagings:

____US

Printing date 11/04/2024

Revision 5

Reviewed on 10/11/2024

Trade name: UV-6502CL

(Contd. of page 6)

isen (ione substances control net).				
All components are listed and have the value ACTIVE.				

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

· TSCA (Toxic Substances Control Act)·

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate

- · Hazard statements
- H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)

Reviewed on 10/11/2024

Printing date 11/04/2024

Revision 5

Trade name: UV-6502CL

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Contact: Mr. Patel
- · Date of preparation / last revision 11/04/2024 / 4
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- **REL:** Recommended Exposure Limit

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

• * Data compared to the previous version altered.